

JAMA | Original Investigation

Effect of Hydroxyethyl Starch vs Saline for Volume Replacement Therapy on Death or Postoperative Complications Among High-Risk Patients Undergoing Major Abdominal Surgery The FLASH Randomized Clinical Trial

Emmanuel Futier, MD, PhD; Matthias Garot, MD; Thomas Godet, MD, PhD; Matthieu Blais, MD, PhD; Daniel Verzilli, MD; Alexandre Ouattara, MD, PhD; Olivier Huet, MD, PhD; Thomas Lescot, MD, PhD; Gilles Lebuffe, MD, PhD; Antoine Dewitte, MD, PhD; Anna Cadic, MD; Aymeric Restoux, MD, PhD; Karim Asehnoune, MD, PhD; Catherine Paugam-Burtz, MD, PhD; Philippe Cuvillon, MD, PhD; Marion Faucher, MD, PhD; Camille Vaisse, MD; Younes El Amine, MD; Hélène Beloel, MD, PhD; Marc Leone, MD, PhD; Eric Noll, MD, PhD; Vincent Piriou, MD, PhD; Sigismond Lasocki, MD, PhD; Jean-Etienne Bazin, MD, PhD; Bruno Pereira, PhD; Samir Jaber, MD, PhD; for the FLASH Trial Group

JAMA.2020;323(3):225-236

2020/05/19

慈惠ICU Journal Club

中村瑞道 / 浅野健吾